

Connective Contour™ – increased soft tissue contact zone and volume

The Astra Tech design feature Connective Contour™ arise when the abutment is connected to the implant. The unique contour can be described as a waist profile starting at the implant bevel, continuing coronally on the abutment surface. It allows for an increased soft tissue volume and contact zone (compared to a straight design) in this area. Located within the Connective Contour is the implant-abutment junction. The tight and stable conical connection, Conical Seal Design™^{1,2}, minimizes micro-movements and micro-leakage³⁻⁵ resulting in no adverse reactions in the surrounding tissues. This design feature has been part of the Astra Tech Implant System™ for over 20 years.

The peri-implant tissue integrates with the Connective Contour^{6,7} and a high mechanical stability is obtained within the soft tissue, resulting in the ability to withstand external forces and movements. Esthetics is obtained due to the reduced translucency of the formed buccal tissue. Another advantage of the Connective Contour feature is the ability of the formed peri-implant tissue to seal off and support the marginal bone via sufficient vascularization and nutrition⁷.

The suggested length of the peri-implant soft tissue (i.e. the biological width) is about 3 mm, including the junctional epithelium requiring up to 2 mm^{6,8-11}. The design of the Connective Contour “enlarges” the area for the complete connective tissue integration, a prerequisite for healthy marginal bone. Hence, by a careful selection of abutments excellent esthetics can be achieved and maintained, including a gain in soft tissue dimensions and papilla height^{12,13}. Different surgical techniques and loading protocols¹¹⁻¹³ do not seem to affect the function of the Connective Contour. Predictable and reliable clinical outcomes are documented for the Astra Tech Implant System after a short-term follow-up^{3,4,11-29} and as well as after a long-term follow-up^{21,30-47}.

References

Reprints can be ordered from references marked with Ref. No.

To read more Scientific Reviews please see: www.astratechdental.com

1. Norton MR. An in vitro evaluation of the strength of an internal conical interface compared to a butt joint interface in implant design. Clin Oral Implants Res 1997;8(4):290-8 (ID No. 75183). [Abstract in PubMed](#)
2. Norton MR. In vitro evaluation of the strength of the conical implant-to-abutment joint in two commercially available implant systems. J Prosthet Dent 2000;83(5):567-71 (ID No. 75350). [Abstract in PubMed](#)
3. Puchades-Roman L, Palmer RM, Palmer PJ, Howe LC, Ide M, Wilson RF. A clinical, radiographic, and microbiologic comparison of Astra Tech and Brånemark single tooth implants. Clin Impl Dent Rel Res 2000;2(2):78-84 (ID No. 75354). [Abstract in PubMed](#)
4. Warren P, Chaffee N, Felton DA, Cooper LF. A retrospective radiographic analysis of bone loss following placement of TiO₂ grit-blasted implants in the posterior maxilla and mandible. Int J Oral Maxillofac Implants 2002;17(3):399-404 (ID No. 78111). [Abstract in PubMed](#)
5. Zipprich H, Weigl P, Lauer H-C, Lange B. Micro-movements at the implant-abutment interface: measurements, causes and consequences. Implantologie 2007;15:31-45 (<http://www.kgu.de/zzmk/werkstoffkunde/> ID No. 79041).
6. Abrahamsson I, Berglundh T, Wennström J, Lindhe J. The peri-implant hard and soft tissues at different implant systems. A comparative study in the dog. Clin Oral Implants Res 1996;7(3):212-19 (ID No. 75055). [Abstract in PubMed](#)
7. Moon IS, Berglundh T, Abrahamsson I, Linder E, Lindhe J. The barrier between the keratinized mucosa and the dental implant. An experimental study in the dog. J Clin Periodontol 1999;26(10):658-63 (ID No. 75158). [Abstract in PubMed](#)
8. Abrahamsson I, Berglundh T. Tissue characteristics at microthreaded implants: an experimental study in dogs. Clin Impl Dent Rel Res 2006;8(3):107-13 (ID No. 78779). [Abstract in PubMed](#)
9. Abrahamsson I, Berglundh T, Moon IS, Lindhe J. Peri-implant tissues at submerged and non-submerged titanium implants. J Clin Periodontol 1999;26(9):600-7 (ID No. 75160). [Abstract in PubMed](#)
10. Abrahamsson I, Berglundh T, Sekino S, Lindhe J. Tissue reactions to abutment shift: an experimental study in dogs. Clin Impl Dent Rel Res 2003;5(2):82-8 (ID No. 79027). [Abstract in PubMed](#)
11. Collaert B, De Bruyn H. Early loading of four or five Astra Tech fixtures with a fixed cross-arch restoration in the mandible. Clin Impl Dent Rel Res 2002;4(3):133-5 (ID No. 78384). [Abstract in PubMed](#)
12. Cooper L, Felton DA, Kugelberg CF, Ellner S, Chaffee N, Molina AL, et al. A multicenter 12-month evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. Int J Oral Maxillofac Implants 2001;16(2):182-92 (ID No. 75410). [Abstract in PubMed](#)

13. De Kok IJ, Chang SS, Moriarty JD, Cooper LF. A retrospective analysis of peri-implant tissue responses at immediate load/provisionalized microthreaded implants. *Int J Oral Maxillofac Implants* 2006;21(3):405-12 (ID No. 78727, 78776). [Abstract in PubMed](#)
14. Cecchinato D, Olsson C, Lindhe J. Submerged or non-submerged healing of endosseous implants to be used in the rehabilitation of partially dentate patients. *J Clin Periodontol* 2004;31(4):299-308 (ID No. 78302). [Abstract in PubMed](#)
15. Cooper LF, Ellner S, Moriarty J, Felton DA, Paquette D, Molina A, et al. Three-year evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. *Int J Oral Maxillofac Implants* 2007;22(5):791-800 (ID No. 78988). [Abstract in PubMed](#)
16. Karlsson U, Gotfredsen K, Olsson C. Single-tooth replacement by osseointegrated Astra Tech dental implants: a 2-year report. *Int J Prosthodont* 1997;10(4):318-24 (ID No. 75067). [Abstract in PubMed](#)
17. Karlsson U, Gotfredsen K, Olsson C. A 2-year report on maxillary and mandibular fixed partial dentures supported by Astra Tech dental implants. A comparison of 2 implants with different surface textures. *Clin Oral Implants Res* 1998;9(4):235-42 (ID No. 75186). [Abstract in PubMed](#)
18. Kempainen P, Eskola S, Ylipaavaniemi P. A comparative prospective clinical study of two single-tooth implants: a preliminary report of 102 implants. *J Prosthet Dent* 1997;77(4):382-7 (ID No. 75068). [Abstract in PubMed](#)
19. Lee DW, Park KH, Moon IS. Dimension of interproximal soft tissue between adjacent implants in two distinctive implant systems. *J Periodontol* 2006;77(6):1080-4 [Abstract in PubMed](#)
20. Nordin T, Jonsson G, Nelvig P, Rasmusson L. The use of a conical fixture design for fixed partial prostheses. A preliminary report. *Clin Oral Implants Res* 1998;9(5):343-7 (ID No. 75052). [Abstract in PubMed](#)
21. Norton MR. Marginal bone levels at single tooth implants with a conical fixture design. The influence of surface macro- and microstructure. *Clin Oral Implants Res* 1998;9(2):91-9 [Abstract in PubMed](#)
22. Norton MR. A short-term clinical evaluation of immediately restored maxillary TiOblast single-tooth implants. *Int J Oral Maxillofac Implants* 2004;19(2):274-81 (ID No. 78173). [Abstract in PubMed](#)
23. Norton MR, Wilson J. Dental implants placed in extraction sites implanted with bioactive glass: human histology and clinical outcome. *Int J Oral Maxillofac Implants* 2002;17(2):249-57 (ID No. 75419). [Abstract in PubMed](#)
24. Palmer RM, Farkondeh N, Palmer PJ, Wilson RF. Astra Tech single-tooth implants: an audit of patient satisfaction and soft tissue form. *J Clin Periodontol* 2007;34(7):633-8 (ID No. 78941). [Abstract in PubMed](#)
25. Palmer RM, Howe LC, Palmer PJ. A prospective 3-year study of fixed bridges linking Astra Tech ST implants to natural teeth. *Clin Oral Implants Res* 2005;16(3):302-7 (ID No. 78300). [Abstract in PubMed](#)

26. Palmer RM, Smith BJ, Palmer PJ, Floyd PD. A prospective study of Astra single tooth implants. Clin Oral Implants Res 1997;8(3):173-9 (ID No. 75182). [Abstract in PubMed](#)
27. Thor A, Sennerby L, Hirsch JM, Rasmusson L. Bone formation at the maxillary sinus floor following simultaneous elevation of the mucosal lining and implant installation without graft material: an evaluation of 20 patients treated with 44 Astra Tech implants. J Oral Maxillofac Surg 2007;65(7 Suppl 1):64-72 (ID No. 78929). [Abstract in PubMed](#)
28. Thor A, Wannfors K, Sennerby L, Rasmusson L. Reconstruction of the severely resorbed maxilla with autogenous bone, platelet-rich plasma, and implants: 1-year results of a controlled prospective 5-year study. Clin Impl Dent Rel Res 2005;7(4):209-20 (ID No. 79032). [Abstract in PubMed](#)
29. Yi SW, Ericsson I, Kim CK, Carlsson GE, Nilner K. Implant-supported fixed prostheses for the rehabilitation of periodontally compromised dentitions: a 3-year prospective clinical study. Clin Impl Dent Rel Res 2001;3(3):125-34 (ID No. 75415). [Abstract in PubMed](#)
30. Bakke M, Holm B, Gotfredsen K. Masticatory function and patient satisfaction with implant-supported mandibular overdentures: a prospective 5-year study. Int J Prosthodont 2002;15(6):575-81 (ID No. 78148). [Abstract in PubMed](#)
31. Gotfredsen K. A 5-year prospective study of single-tooth replacements supported by the Astra Tech implant: a pilot study. Clin Impl Dent Rel Res 2004;6(1):1-8 (ID No. 78273). [Abstract in PubMed](#)
32. Gotfredsen K, Holm B. Implant-supported mandibular overdentures retained with ball or bar attachments: a randomized prospective 5-year study. Int J Prosthodont 2000;13(2):125-30 (ID No. 75355). [Abstract in PubMed](#)
33. Gotfredsen K, Karlsson U. A prospective 5-year study of fixed partial prostheses supported by implants with machined and TiO₂-blasted surface. J Prosthodont 2001;10(1):2-7 (ID No. 75416). [Abstract in PubMed](#)
34. Hallman M, Mordenfeld A, Strandkvist T. A retrospective 5-year follow-up study of two different titanium implant surfaces used after interpositional bone grafting for reconstruction of the atrophic edentulous maxilla. Clin Impl Dent Rel Res 2005;7(3):121-6 [Abstract in PubMed](#)
35. Kahnberg KE, Vannas-Löfqvist L. Maxillary osteotomy with an interpositional bone graft and implants for reconstruction of the severely resorbed maxilla: a clinical report. Int J Oral Maxillofac Implants 2005;20(6):938-45 (ID No. 78774). [Abstract in PubMed](#)
36. Makkonen TA, Holmberg S, Niemi L, Olsson C, Tammisalo T, Peltola J. A 5-year prospective clinical study of Astra Tech dental implants supporting fixed bridges or overdentures in the edentulous mandible. Clin Oral Implants Res 1997;8(6):469-75 (ID No. 75181). [Abstract in PubMed](#)
37. Murphy WM, Absi EG, Gregory MC, Williams KR. A prospective 5-year study of two cast framework alloys for fixed implant-supported mandibular prostheses. Int J Prosthodont 2002;15(2):133-8 [Abstract in PubMed](#)
38. Norton MR. Biologic and mechanical stability of single-tooth implants: 4- to 7-year follow-up. Clin Impl Dent Rel Res 2001;3(4):214-20 (ID No. 75417). [Abstract in PubMed](#)

39. Norton MR. Multiple single-tooth implant restorations in the posterior jaws: maintenance of marginal bone levels with reference to the implant-abutment microgap. *Int J Oral Maxillofac Implants* 2006;21(5):777-84 (ID No. 78773). [Abstract in PubMed](#)
40. Palmer RM, Palmer PJ, Smith BJ. A 5-year prospective study of Astra single tooth implants. *Clin Oral Implants Res* 2000;11(2):179-82 (ID No. 75352). [Abstract in PubMed](#)
41. Rasmusson L, Roos J, Bystedt H. A 10-year follow-up study of titanium dioxide-blasted implants. *Clin Impl Dent Rel Res* 2005;7(1):36-42 (ID No. 78272). [Abstract in PubMed](#)
42. Steveling H, Roos J, Rasmusson L. Maxillary implants loaded at 3 months after insertion: results with Astra Tech implants after up to 5 years. *Clin Impl Dent Rel Res* 2001;3(3):120-4 (ID No. 75414). [Abstract in PubMed](#)
43. Weibrich G, Buch RS, Wegener J, Wagner W. Five-year prospective follow-up report of the Astra tech standard dental implant in clinical treatment. *Int J Oral Maxillofac Implants* 2001;16(4):557-62 [Abstract in PubMed](#)
44. Wennström J, Zurdo J, Karlsson S, Ekestubbe A, Gröndahl K, Lindhe J. Bone level change at implant-supported fixed partial dentures with and without cantilever extension after 5 years in function. *J Clin Periodontol* 2004;31(12):1077-83 (ID No. 78276). [Abstract in PubMed](#)
45. Wennström JL, Ekestubbe A, Gröndahl K, Karlsson S, Lindhe J. Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. *J Clin Periodontol* 2004;31(9):713-24 (ID No. 78275). [Abstract in PubMed](#)
46. Wennström JL, Ekestubbe A, Gröndahl K, Karlsson S, Lindhe J. Implant-supported single-tooth restorations: a 5-year prospective study. *J Clin Periodontol* 2005;32(6):567-74 (ID No. 78476). [Abstract in PubMed](#)
47. von Wowern N, Gotfredsen K. Implant-supported overdentures, a prevention of bone loss in edentulous mandibles? a 5-year follow-up study. *Clin Oral Implants Res* 2001;12:19-25 (ID No. 75358).